ELSEVIER

Neuroscience Letters 370 (2004) 262–265

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 370

Abe, T., see Tatsumi, S., 130
Agosti, C., see Borroni, B., 127
Akaishi, T., Nakazawa, K., Sato, K., Ohno, Y., Ito, Y., 4-Hydroxynonenal modulates the long-term potentiation induced by L-type Ca^{2+} channel activation in the rat dentate gyrus in vitro, 155
Altiok, N., see Koyuturk, M., 212
Álvarez, V., see Huerta, C., 151
Anthes, J.C., see Correll, C.C., 55
Araki, H., see Kitaoka, K., 65
Archetti, S., see Borroni, B., 127
Arend, A., see Põder, P., 45
Armstrong, J., Boada, M., Rey, M.J., Vidal, N., Ferrer, I., Familial Alzheimer disease associated with A713T mutation in *APP*, 241
Azad, S.C., Eder, M., Simon, W., Hapfelmeier, G., Dodt, H.-U., Zieglgänsberger, W., Rammes, G., The potassium channel modulator flupirtine shifts the frequency–response function of hippocampal synapses to favour LTD in mice, 186

Baba, A., see Nakata, M., 252
Bae, S.-r., see Shin, D.H., 140
Beveridge, T.J.R., Smith, H.R., Nader, M.A., Porrino, L.J., Functional effects of cocaine self-administration in primate brain regions regulating cardiovascular function, 201
Bibl, M., see Steinacker, P., 36
Bidziński, A., see Lehner, M., 74
Blázquez, M., see Huerta, C., 151
Boada, M., see Armstrong, J., 241
Boison, D., see Fedele, D.E., 160
Bonomi, S., see Borroni, B., 127
Borroni, B., Agosti, C., Archetti, S., Costanzi, C., Bonomi, S., Ghianda, D., Lenzi, G.L., Caimi, L., Luca, M.D., Padovani, A., Catechol-*O*-methyltransferase gene polymorphism is associated with risk of psychosis in Alzheimer Disease, 127
Bramwell, S., see Combe, R., 236
Brechlin, P., see Steinacker, P., 36
Brüstle, O., see Fedele, D.E., 160
Busch, E., see Engelhorn, T., 85

Caimi, L., see Borroni, B., 127
Cao, Y., see Kim, H.-D., 218
Cepek, L., see Steinacker, P., 36
Cetin, T., Freudenberg, F., Füchtemeier, M., Koch, M., Dopamine in the orbitofrontal cortex regulates operant responding under a progressive ratio of reinforcement in rats, 114
Chalimoniuk, M., see Strosznajder, J.B., 175
Chen, X.-L., Xie, J.-X., Han, H.-B., Cui, Y.-H., Zhang, B.-Q., MR perfusion-weighted imaging and quantitative analysis of cerebral hemodynamics with symptom provocation in unmedicated patients with obsessive–compulsive disorder, 206
Cho, S.S., see Shin, D.H., 140
Chou, T.C., Rotman, S.R., Saper, C.B., Lateral hypothalamic acetylcholinesterase-immunoreactive neurons co-express either orexin or melanin concentrating hormone, 123
Chung, Y.H., see Shin, D.H., 140
Coca-Prados, M., see Ghosh, S., 7
Combe, R., Bramwell, S., Field, M.J., The monosodium iodoacetate model of osteoarthritis: a model of chronic nociceptive pain in rats?, 236
Correll, C.C., Phelps, P.T., Anthes, J.C., Umland, S., Greenfeder, S., Cloning and pharmacological characterization of mouse TRPV1, 55
Coslett, H.B., see Shenton, J.T., 19
Costanzi, C., see Borroni, B., 127
Coto, E., see Huerta, C., 151
Cui, Y.-H., see Chen, X.-L., 206

Davidson, P.R., Wolpert, D.M., Scaling down motor memories: de-adaptation after motor learning, 102
de Hemptinne, I., see Vanhoutte, N., 230
Dodt, H.-U., see Azad, S.C., 186
Doerfler, A., see Engelhorn, T., 85
Duplan, H., Li, R.Y., Vue, C., Zhou, H., Emorine, L., Herman, J.P., Tafani, M., Lazorthes, Y., Eaton, M.J., Grafts of immortalized chromaffin cells bio-engineered to improve met-enkephalin release also reduce formalin-evoked c-fos expression in rat spinal cord, 1

Eaton, M.J., see Duplan, H., 1
Eckert, A., see Strosznajder, J.B., 175
Eder, M., see Azad, S.C., 186
Emorine, L., see Duplan, H., 1
Engelhorn, T., Heiland, S., Schabitz, W.-R., Schwab, S., Busch, E., Forsting, M., Doerfler, A., Decompressive craniectomy in acute cerebral ischemia in rats. Is there any benefit in smaller thromboembolic infarcts?, 85
Eoli, M., see Salsano, E., 180
Ersoz, M., see Koyuturk, M., 212
Esselmann, H., see Steinacker, P., 36

Füchtemeier, M., see Cetin, T., 114
Fedele, D.E., Koch, P., Scheurer, L., Simpson, E.M., Möhler, H., Brüstle, O., Boison, D., Engineering embryonic stem cell derived glia for adenosine delivery, 160
Ferrer, I., see Armstrong, J., 241
Field, M.J., see Combe, R., 236
Finocchiaro, G., see Salsano, E., 180
Fitzgerald, D.A., Posse, S., Moore, G.J., Tancer, M.E., Nathan, P.J., Phan, K.L., Neural correlates of internally-generated disgust via autobiographical recall: a functional magnetic resonance imaging investigation, 91
Fonteles, M.M.F., see Freitas, R.M., 196
Forsting, M., see Engelhorn, T., 85
Freitas, R.M., Vasconcelos, S.M.M., Souza, F.C.F., Viana, G.S.B., Fonteles, M.M.F., Monoamine levels after pilocarpine-induced status epilepticus in hippocampus and frontal cortex of Wistar rats, 196
Freudenberg, F., see Cetin, T., 114
Fukuchi, K.-i., see Kim, H.-D., 218

Ghianda, D., see Borroni, B., 127
Ghosh, S., Salvador-Silva, M., Coca-Prados, M., The bovine iris–ciliary epithelium expresses components of rod phototransduction, 7
Giordana, M.T., see Salsano, E., 180
Gluschenko, T.S., see Stroev, S.A., 224
Gomez-Climent, M.A., see Nacher, J., 40

doi:10.1016/S0304-3940(04)01275-3

ELSEVIER

Neuroscience Letters 370 (2004) 262–265

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 370

Abe, T., see Tatsumi, S., 130
Agosti, C., see Borroni, B., 127
Akaishi, T., Nakazawa, K., Sato, K., Ohno, Y., Ito, Y., 4-Hydroxynonenal modulates the long-term potentiation induced by L-type Ca^{2+} channel activation in the rat dentate gyrus in vitro, 155
Altiok, N., see Koyuturk, M., 212
Álvarez, V., see Huerta, C., 151
Anthes, J.C., see Correll, C.C., 55
Araki, H., see Kitaoka, K., 65
Archetti, S., see Borroni, B., 127
Arend, A., see Põder, P., 45
Armstrong, J., Boada, M., Rey, M.J., Vidal, N., Ferrer, I., Familial Alzheimer disease associated with A713T mutation in *APP*, 241
Azad, S.C., Eder, M., Simon, W., Hapfelmeier, G., Dodt, H.-U., Zieglgänsberger, W., Rammes, G., The potassium channel modulator flupirtine shifts the frequency–response function of hippocampal synapses to favour LTD in mice, 186

Baba, A., see Nakata, M., 252
Bae, S.-r., see Shin, D.H., 140
Beveridge, T.J.R., Smith, H.R., Nader, M.A., Porrino, L.J., Functional effects of cocaine self-administration in primate brain regions regulating cardiovascular function, 201
Bibl, M., see Steinacker, P., 36
Bidziński, A., see Lehner, M., 74
Blázquez, M., see Huerta, C., 151
Boada, M., see Armstrong, J., 241
Boison, D., see Fedele, D.E., 160
Bonomi, S., see Borroni, B., 127
Borroni, B., Agosti, C., Archetti, S., Costanzi, C., Bonomi, S., Ghianda, D., Lenzi, G.L., Caimi, L., Luca, M.D., Padovani, A., Catechol-*O*-methyltransferase gene polymorphism is associated with risk of psychosis in Alzheimer Disease, 127
Bramwell, S., see Combe, R., 236
Brechlin, P., see Steinacker, P., 36
Brüstle, O., see Fedele, D.E., 160
Busch, E., see Engelhorn, T., 85

Caimi, L., see Borroni, B., 127
Cao, Y., see Kim, H.-D., 218
Cepek, L., see Steinacker, P., 36
Cetin, T., Freudenberg, F., Füchtemeier, M., Koch, M., Dopamine in the orbitofrontal cortex regulates operant responding under a progressive ratio of reinforcement in rats, 114
Chalimoniuk, M., see Strosznajder, J.B., 175
Chen, X.-L., Xie, J.-X., Han, H.-B., Cui, Y.-H., Zhang, B.-Q., MR perfusion-weighted imaging and quantitative analysis of cerebral hemodynamics with symptom provocation in unmedicated patients with obsessive–compulsive disorder, 206
Cho, S.S., see Shin, D.H., 140
Chou, T.C., Rotman, S.R., Saper, C.B., Lateral hypothalamic acetylcholinesterase-immunoreactive neurons co-express either orexin or melanin concentrating hormone, 123
Chung, Y.H., see Shin, D.H., 140
Coca-Prados, M., see Ghosh, S., 7
Combe, R., Bramwell, S., Field, M.J., The monosodium iodoacetate model of osteoarthritis: a model of chronic nociceptive pain in rats?, 236
Correll, C.C., Phelps, P.T., Anthes, J.C., Umland, S., Greenfeder, S., Cloning and pharmacological characterization of mouse TRPV1, 55
Coslett, H.B., see Shenton, J.T., 19
Costanzi, C., see Borroni, B., 127
Coto, E., see Huerta, C., 151
Cui, Y.-H., see Chen, X.-L., 206

Davidson, P.R., Wolpert, D.M., Scaling down motor memories: de-adaptation after motor learning, 102
de Hemptinne, I., see Vanhoutte, N., 230
Dodt, H.-U., see Azad, S.C., 186
Doerfler, A., see Engelhorn, T., 85
Duplan, H., Li, R.Y., Vue, C., Zhou, H., Emorine, L., Herman, J.P., Tafani, M., Lazorthes, Y., Eaton, M.J., Grafts of immortalized chromaffin cells bio-engineered to improve met-enkephalin release also reduce formalin-evoked c-fos expression in rat spinal cord, 1

Eaton, M.J., see Duplan, H., 1
Eckert, A., see Strosznajder, J.B., 175
Eder, M., see Azad, S.C., 186
Emorine, L., see Duplan, H., 1
Engelhorn, T., Heiland, S., Schabitz, W.-R., Schwab, S., Busch, E., Forsting, M., Doerfler, A., Decompressive craniectomy in acute cerebral ischemia in rats. Is there any benefit in smaller thromboembolic infarcts?, 85
Eoli, M., see Salsano, E., 180
Ersoz, M., see Koyuturk, M., 212
Esselmann, H., see Steinacker, P., 36

Füchtemeier, M., see Cetin, T., 114
Fedele, D.E., Koch, P., Scheurer, L., Simpson, E.M., Möhler, H., Brüstle, O., Boison, D., Engineering embryonic stem cell derived glia for adenosine delivery, 160
Ferrer, I., see Armstrong, J., 241
Field, M.J., see Combe, R., 236
Finocchiaro, G., see Salsano, E., 180
Fitzgerald, D.A., Posse, S., Moore, G.J., Tancer, M.E., Nathan, P.J., Phan, K.L., Neural correlates of internally-generated disgust via autobiographical recall: a functional magnetic resonance imaging investigation, 91
Fonteles, M.M.F., see Freitas, R.M., 196
Forsting, M., see Engelhorn, T., 85
Freitas, R.M., Vasconcelos, S.M.M., Souza, F.C.F., Viana, G.S.B., Fonteles, M.M.F., Monoamine levels after pilocarpine-induced status epilepticus in hippocampus and frontal cortex of Wistar rats, 196
Freudenberg, F., see Cetin, T., 114
Fukuchi, K.-i., see Kim, H.-D., 218

Ghianda, D., see Borroni, B., 127
Ghosh, S., Salvador-Silva, M., Coca-Prados, M., The bovine iris–ciliary epithelium expresses components of rod phototransduction, 7
Giordana, M.T., see Salsano, E., 180
Gluschenko, T.S., see Stroev, S.A., 224
Gomez-Climent, M.A., see Nacher, J., 40

doi:10.1016/S0304-3940(04)01275-3

Greenfeder, S., see Correll, C.C., 55
Guisasola, L.M., see Huerta, C., 151

Han, H.-B., see Chen, X.-L., 206
Hapfelmeier, G., see Azad, S.C., 186
Hara, H., see Yamamoto, R., 61
Hashimoto, H., see Nakata, M., 252
Heaton, M.B., Madorsky, I., Paiva, M., Siler-Marsiglio, K.I., Ethanol-induced reduction of neurotrophin secretion in neonatal rat cerebellar granule cells is mitigated by vitamin E, 51
Heiland, S., see Engelhorn, T., 85
Herman, J.P., see Duplan, H., 1
Hermans, E., see Vanhoutte, N., 230
Hosokawa, T., see Kinoshita, M., 146
Hough, C.J., see Wei, G., 118
Hsu, C.-C., see Yang, P., 13
Huerta, C., Álvarez, V., Mata, I.F., Coto, E., Ribacoba, R., Martínez, C., Blázquez, M., Guisasola, L.M., Salvador, C., Lahoz, C.H., Peña, J., Chemokines (RANTES and MCP-1) and chemokine-receptors (CCR2 and CCR5) gene polymorphisms in Alzheimer's and Parkinson's disease, 151

Ikeuchi, T., see Utsumi, T., 244
Ito, E., see Kinoshita, M., 146
Ito, R., see Kitaoka, K., 65
Ito, S., see Tatsumi, S., 130
Ito, Y., see Akaishi, T., 155

Jęśko, H., see Strosznajder, J.B., 175

Kabetani, M., see Sakura, M., 257
Kadota, H., Kudo, K., Ohtsuki, T., Time-series pattern changes related to movement rate in synchronized human tapping, 97
Kals, J., see Põder, P., 45
Ker, J.-H., see Yang, P., 13
Kim, H., see Kim, H.-D., 218
Kim, H.-D., Kong, F.-K., Cao, Y., Lewis, T.L., Kim, H., Tang, D.-c.C., Fukuchi, K.-i., Immunization of Alzheimer model mice with adenovirus vectors encoding amyloid β-protein and GM-CSF reduces amyloid load in the brain, 218
Kim, H.J., see Shin, D.H., 140
Kim, J., see Shin, D.H., 140
Kim, W., see Nam, R.-H., 248
Kinoshameg, S.A., Persinger, M.A., Suppression of experimental allergic encephalomyelitis in rats by 50-nT, 7-Hz amplitude-modulated nocturnal magnetic fields depends on when after inoculation the fields are applied, 166
Kinoshita, M., Hosokawa, T., Urano, A., Ito, E., Long-term potentiation in the optic tectum of rainbow trout, 146
Kirino, Y., see Sakura, M., 257
Kishi, S., see Utsumi, T., 244
Kitaoka, K., Ito, R., Araki, H., Sei, H., Morita, Y., Effect of mood state on anticipatory postural adjustments, 65
Koch, M., see Cetin, T., 114
Koch, P., see Fedele, D.E., 160
Kohno, D., see Nakata, M., 252
Kong, F.-K., see Kim, H.-D., 218
Koyuturk, M., Ersoz, M., Altiok, N., Simvastatin induces proliferation inhibition and apoptosis in C6 glioma cells via c-jun N-terminal kinase, 212
Kretzschmar, H.A., see Steinacker, P., 36
Kudo, K., see Kadota, H., 97
Kudo, Y., see Yin, L., 30
Kullisaar, T., see Põder, P., 45
Kumru, H., Valls-Solé, J., Valldeoriola, F., Marti, M.J., Sanegre, M.T., Tolosa, E., Transient arrest of psychogenic tremor induced by contralateral ballistic movements, 135

Lahoz, C.H., see Huerta, C., 151
Langel, Ü., see Põder, P., 45
Lazorthes, Y., see Duplan, H., 1
Lee, C.-J., see Nam, R.-H., 248
Lee, E., see Shin, D.H., 140
Lee, M.H., see Shin, D.H., 140
Lehner, M., Taracha, E., Skórzewska, A., Wisłowska, A., Zienowicz, M., Maciejak, P., Szyndler, J., Bidziński, A., Płaźnik, A., Sensitivity to pain and c-Fos expression in brain structures in rats, 74
Lenzi, G.L., see Borroni, B., 127
Lewczuk, P., see Steinacker, P., 36
Lewis, T.L., see Kim, H.-D., 218
Li, R.Y., see Duplan, H., 1
Liu, Y., see Pradhan, A., 191
López de Munain, A., see Otaegui, D., 171
Luca, M.D., see Borroni, B., 127

Mabuchi, T., see Tatsumi, S., 130
Maciejak, P., see Lehner, M., 74
Madison, G., Merker, B., Human sensorimotor tracking of continuous subliminal deviations from isochrony, 69
Madorsky, I., see Heaton, M.B., 51
Mahlapuu, R., see Põder, P., 45
Makino, R., see Yin, L., 30
Maloteaux, J.-M., see Vanhoutte, N., 230
Martí, I., see Otaegui, D., 171
Marti, M.J., see Kumru, H., 135
Martí-Massó, J.F., see Otaegui, D., 171
Martínez, C., see Huerta, C., 151
Mata, I.F., see Huerta, C., 151
McEwen, B., see Nacher, J., 40
Merker, B., see Madison, G., 69
Möhler, H., see Fedele, D.E., 160
Minami, T., see Tatsumi, S., 130
Mollenhauer, B., see Steinacker, P., 36
Moore, G.J., see Fitzgerald, D.A., 91
Morita, Y., see Kitaoka, K., 65
Murai, A., see Xiang, L., 108
Muramatsu, T., see Xiang, L., 108

Nacher, J., Gomez-Climent, M.A., McEwen, B., Chronic non-invasive glucocorticoid administration decreases polysialylated neural cell adhesion molecule expression in the adult rat dentate gyrus, 40
Nader, M.A., see Beveridge, T.J.R., 201
Nakamachi, T., see Yin, L., 30
Nakata, M., Kohno, D., Shintani, N., Nemoto, Y., Hashimoto, H., Baba, A., Yada, T., PACAP deficient mice display reduced carbohydrate intake and PACAP activates NPY-containing neurons in the rat hypothalamic arcuate nucleus, 252
Nakayama, H., see Utsumi, T., 244
Nakazawa, K., see Akaishi, T., 155
Nam, R.-H., Kim, W., Lee, C.-J., NMDA receptor-dependent long-term potentiation in the telencephalon of the zebrafish, 248
Nathan, P.J., see Fitzgerald, D.A., 91
Nemoto, Y., see Nakata, M., 252

Ohno, Y., see Akaishi, T., 155
Ohtaki, H., see Yin, L., 30
Ohtsuki, T., see Kadota, H., 97
Otaegui, D., Paisán, C., Sáenz, A., Martí, I., Ribate, M., Martí-Massó, J.F., Pérez-Tur, J., López de Munain, A., Mitochondrial polymporphisms in Parkinson's Disease, 171
Otto, M., see Steinacker, P., 36

Padovani, A., see Borroni, B., 127
Paisán, C., see Otaegui, D., 171

Paiva, M., see Heaton, M.B., 51
Põder, P., Zilmer, M., Starkopf, J., Kals, J., Talonpoika, A., Pulges, A., Langel, Ü., Kullisaar, T., Viirlaid, S., Mahlapuu, R., Zarkovski, A., Arend, A., Soomets, U., An antioxidant tetrapeptide UPF1 in rats has a neuroprotective effect in transient global brain ischemia, 45
Peña, J., see Huerta, C., 151
Pelto-Huikko, M., see Stroev, S.A., 224
Persinger, M.A., see Kinoshameg, S.A., 166
Phan, K.L., see Fitzgerald, D.A., 91
Phelps, P.T., see Correll, C.C., 55
Plaźnik, A., see Lehner, M., 74
Pollo, B., see Salsano, E., 180
Porrino, L.J., see Beveridge, T.J.R., 201
Poser, S., see Steinacker, P., 36
Posse, S., see Fitzgerald, D.A., 91
Pradhan, A., Liu, Y., The calcium-responsive transactivator recruits CREB binding protein to nuclear bodies, 191
Pérez-Tur, J., see Otaegui, D., 171
Pulges, A., see Põder, P., 45

Rammes, G., see Azad, S.C., 186
Rey, M.J., see Armstrong, J., 241
Ribacoba, R., see Huerta, C., 151
Ribate, M., see Otaegui, D., 171
Ritchie, M.D., see Vanhoose, A.M., 80
Rotman, S.R., see Chou, T.C., 123
Rybnikova, E.A., see Stroev, S.A., 224

Sakura, M., Kabetani, M., Watanabe, S., Kirino, Y., Impairment of olfactory discrimination by blockade of nitric oxide activity in the terrestrial slug *Limax valentianus*, 257
Salsano, E., Pollo, B., Eoli, M., Giordana, M.T., Finocchiaro, G., Expression of *MATH1*, a marker of cerebellar granule cell progenitors, identifies different medulloblastoma sub-types, 180
Salvador, C., see Huerta, C., 151
Salvador-Silva, M., see Ghosh, S., 7
Samoilov, M.O., see Stroev, S.A., 224
Sanegre, M.T., see Kumru, H., 135
Saper, C.B., see Chou, T.C., 123
Sarvey, J.M., see Wei, G., 118
Sasaya, H., see Utsumi, T., 244
Sato, K., see Akaishi, T., 155
Schabitz, W.-R., see Engelhorn, T., 85
Scheurer, L., see Fedele, D.E., 160
Schwab, S., see Engelhorn, T., 85
Schwoebel, J., see Shenton, J.T., 19
Sei, H., see Kitaoka, K., 65
Sáenz, A., see Otaegui, D., 171
Shenton, J.T., Schwoebel, J., Coslett, H.B., Mental motor imagery and the body schema: evidence for proprioceptive dominance, 19
Shimoke, K., see Utsumi, T., 244
Shin, D.H., Lee, E., Kim, J., Bae, S.-r., Chung, Y.H., Kim, H.J., Lee, M.H., Cho, S.S., Distribution of heat shock protein 108 mRNA during the development of the chicken brain, 140
Shintani, N., see Nakata, M., 252
Shioda, S., see Yin, L., 30
Siler-Marsiglio, K.I., see Heaton, M.B., 51
Simon, W., see Azad, S.C., 186
Simpson, E.M., see Fedele, D.E., 160
Skórzewska, A., see Lehner, M., 74
Smith, H.R., see Beveridge, T.J.R., 201
Soomets, U., see Põder, P., 45
Souza, F.C.F., see Freitas, R.M., 196
Starkopf, J., see Põder, P., 45
Steinacker, P., Mollenhauer, B., Bibl, M., Cepek, L., Esselmann, H., Brechlin, P., Lewczuk, P., Poser, S., Kretzschmar, H.A., Wiltfang, J., Trenkwalder, C., Otto, M., Heart fatty acid binding protein as a potential diagnostic marker for neurodegenerative diseases, 36
Stroev, S.A., Tjulkova, E.I., Gluschenko, T.S., Rybnikova, E.A., Samoilov, M.O., Pelto-Huikko, M., The augmentation of brain thioredoxin-1 expression after severe hypobaric hypoxia by the preconditioning in rats, 224
Strosznajder, J.B., Jęśko, H., Zambrzycka, A., Eckert, A., Chalimoniuk, M., Age-related alteration of activity and gene expression of endothelial nitric oxide synthase in different parts of the brain in rats, 175
Szyndler, J., see Lehner, M., 74

Tafani, M., see Duplan, H., 1
Talonpoika, A., see Põder, P., 45
Tancer, M.E., see Fitzgerald, D.A., 91
Tang, D.-c.C., see Kim, H.-D., 218
Taracha, E., see Lehner, M., 74
Tatsumi, S., Mabuchi, T., Abe, T., Xu, L., Minami, T., Ito, S., Analgesic effect of extracts of Chinese medicinal herbs Moutan cortex and Coicis semen on neuropathic pain in mice, 130
Tjulkova, E.I., see Stroev, S.A., 224
Tolosa, E., see Kumru, H., 135
Trenkwalder, C., see Steinacker, P., 36

Umland, S., see Correll, C.C., 55
Urano, A., see Kinoshita, M., 146
Utsumi, T., Shimoke, K., Kishi, S., Sasaya, H., Ikeuchi, T., Nakayama, H., Protective effect of nicotine on tunicamycin-induced apoptosis of PC12h cells, 244

Valldeoriola, F., see Kumru, H., 135
Valls-Solé, J., see Kumru, H., 135
Vanhoose, A.M., Ritchie, M.D., Winder, D.G., Regulation of cAMP levels in area CA1 of hippocampus by $G_{i/o}$-coupled receptors is stimulus dependent in mice, 80
Vanhoutte, N., de Hemptinne, I., Vermeiren, C., Maloteaux, J.-M., Hermans, E., In vitro differentiated neural stem cells express functional glial glutamate transporters, 230
Vasconcelos, S.M.M., see Freitas, R.M., 196
Vermeiren, C., see Vanhoutte, N., 230
Viana, G.S.B., see Freitas, R.M., 196
Vidal, N., see Armstrong, J., 241
Viirlaid, S., see Põder, P., 45
Vue, C., see Duplan, H., 1

Wang, J.-J., see Wen, Y.-Q., 25
Watanabe, S., see Sakura, M., 257
Wei, G., Hough, C.J., Sarvey, J.M., The mitochondrial toxin, 3-nitropropionic acid, induces extracellular Zn^{2+} accumulation in rat hippocampus slices, 118
Wen, Y.-Q., Zhu, J.-N., Zhang, Y.-P., Wang, J.-J., Cerebellar interpositus nuclear inputs impinge on paraventricular neurons of the hypothalamus in rats, 25
Wiltfang, J., see Steinacker, P., 36
Winder, D.G., see Vanhoose, A.M., 80
Wisłowska, A., see Lehner, M., 74
Wolpert, D.M., see Davidson, P.R., 102
Wu, M.-T., see Yang, P., 13

Xiang, L., Murai, A., Muramatsu, T., The effects of agouti-related protein gene transfer in vivo by electroporation in mice, 108
Xie, J.-X., see Chen, X.-L., 206
Xu, L., see Tatsumi, S., 130

Yada, T., see Nakata, M., 252
Yamamoto, R., Yoneda, S., Hara, H., Neuroprotective effects of β-secretase inhibitors against rat retinal ganglion cell death, 61
Yang, P., Wu, M.-T., Hsu, C.-C., Ker, J.-H., Evidence of early neurobiological alternations in adolescents with posttraumatic stress disorder: a functional MRI study, 13

Yin, L., Ohtaki, H., Nakamachi, T., Kudo, Y., Makino, R., Shioda, S., Delayed expressed TNFR1 co-localize with ICAM-1 in astrocyte in mice brain after transient focal ischemia, 30
Yoneda, S., see Yamamoto, R., 61

Zambrzycka, A., see Strosznajder, J.B., 175
Zarkovski, A., see Põder, P., 45
Zhang, B.-Q., see Chen, X.-L., 206
Zhang, Y.-P., see Wen, Y.-Q., 25
Zhou, H., see Duplan, H., 1
Zhu, J.-N., see Wen, Y.-Q., 25
Zieglgänsberger, W., see Azad, S.C., 186
Zienowicz, M., see Lehner, M., 74
Zilmer, M., see Põder, P., 45